

AD-A082 891

IBM RESEARCH LAB SAN JOSE CALIF
THEORY OF ELECTRONIC, ATOMIC, AND MOLECULAR CALCULATIONS, (U)
MAR 80 R K NESBET N90014-79-C-

F/8 9/8

NO0014-79-C-0406

11

UNCLASSIFIED

TR-1

104


 Δ_{max}

END

DATE _____

7-80

DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

124

REPORT DOCUMENTATION PAGE

READ INSTRUCTIONS
BEFORE COMPLETING FORM

1. REPORT NUMBER 147B-1	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Theory of Electronic, Atomic, and Molecular Calculations		5. TYPE OF REPORT & PERIOD COVERED
6. AUTHOR Robert K. Nesbet		7. PERFORMING ORG. REPORT NUMBER
8. PERFORMING ORGANIZATION NAME AND ADDRESS IBM Research Division K34/281 San Jose, California 95193		9. CONTRACT OR GRANT NUMBER(s) 15 N00014-79-C-0406 EN
10. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Arlington, Virginia 22217		11. REPORT DATE 11 Mar 1980
12. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES 127
LEVEL		14. SECURITY CLASS. (of this report) Unclassified
15. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		16. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		

407158

bpg

ADA082891

DDC FILE COPY

DTIC
ELECTE
APR 9 1980
D

THEORY OF ELECTRONIC, ATOMIC, AND MOLECULAR
CALCULATIONS

R. K. Nesbet
IBM Research Laboratory
San Jose, California 95193

Response to Summary Questionnaire,
ONR Contract No. N00014-79-C-0406

1. Principal Investigator:

Robert K. Nesbet

2. Contract Description:

The general subject matter is atomic and molecular
scattering theory.

3. Scientific Problem:

The new methods to be developed have many specific applications. Quantitative calculations of atom-molecule and of electron-molecule scattering cross sections are required for verification of qualitative interpretations of complex experimental data, for prediction of fundamental rate constants that may not at present be directly measurable, and for provision of accurate standard cross sections for calibrating experimental data.

4. Scientific and Technical Approach:

↓
The general approach is to develop computational methods that are quantitative in the sense of being based on the exact formal theory of the processes considered, and are practicable, in the sense of being capable of implementation on digital computers at the present level of technology. For atom-molecule scattering, a new method is being developed that extends a recent theory of the action constants of nonseparable dynamical systems to collision problems. For electron-molecule scattering, a new method for treating vibrational and rotational excitation has been developed, formal theoretical relations needed in detailed applications of this method are being derived, and a new variational approach to quantitative fixed-nuclei calculations is being planned for practical implementation.

5. Progress:

A. Fourier transform method for molecular collisions

The technique of imposing an infinite potential barrier, to convert collision dynamics into bound motion, has been tested for simple model problems. The technique of converting Percival's nonlinear equations to iterated inhomogeneous linear equations, with quadratic convergence, has also been tested. The general methodology has been tested for examples of double-well potential functions. The conceptual basis of reactive collision problems in this formalism has been characterized, requiring multiple-valued invariant toroids in which different arrangement sheets are connected across branch cuts.

B. Multichannel scattering theory

The formalism of a generalized hybrid scattering theory has been

developed, making use of the Green's function, appropriate to exact solution of a multichannel model scattering problem. The resulting Lippmann-Schwinger equation gives an expression for the incremental reactance matrix (K-matrix) in terms of the residual multichannel potential function or Hamiltonian. This result can be used directly, in a distorted-wave approximation, valid when the residual potential is weak, or indirectly, through a multichannel Schwinger variational principle, for quantitative calculations.

C. Theory of multichannel threshold structures

A new formal analysis of multichannel threshold theory has been carried out, leading to matrix formulas that separate background scattering from the effects of pole singularities. This separation is required for application in electron-molecule scattering.

D. Electron-molecule scattering

The EMA method for vibrational excitation in electron-molecule scattering has been extended to provide a new theory of dissociative attachment and of the inverse detachment process.

Accession For		<input checked="" type="checkbox"/>
NTIS GRA&I		
DDC TAB		
Unannounced Justification		
By _____		
Distribution/		
Availability Codes		
Dist.	Avail and/or special	
A		

6. Publications

- 6.1. R. K. Nesbet and D. C. Clary, "Fourier Transform Method for the Classical Trajectory Problem", J. Chem. Phys. 71, 1372 (1979).
- 6.2. D. C. Clary and R. K. Nesbet, "Application of a Dynamical S-Matrix Method to the Three-Dimensional $H + H_2$ Exchange Reaction", J. Chem. Phys. 71, 1101 (1979).
- 6.3. R. K. Nesbet, "Accurate e^- -He Cross Sections Below 19eV", J. Phys. B12, L243 (1979).
- 6.4. R. K. Nesbet, "Variational Calculations of Accurate e^- -He Cross Sections Below 19eV", Phys. Rev. A20, 58 (1979).
- 6.5. D. C. Clary, "Semiclassical Method for the Determination of Potential Energy Functions of Polyatomic Molecules", Chemical Physics 41, 387 (1979).
- 6.6. R. K. Nesbet, "Energy-Modified Adiabatic Approximation for Scattering Theory", Phys. Rev. A19, 551 (1979).
- 6.7. R. K. Nesbet and J. Bruinsma, "Fourier Transform Method for Collision Dynamics: Reactive Collisions", Abstract, First West Coast Theoretical Chemistry Conference (San Jose, California, 1979), p. 18.
- 6.8. J. Bruinsma and R. K. Nesbet, "Fourier Transform Method for Collision Dynamics: Model Studies", Abstract, First West Coast Theoretical Chemistry Conference (San Jose, California, 1979), p. 38a.
- 6.9. R. K. Nesbet, "Theory of Electron Scattering Using a Hybrid Schwinger Formalism", Abstract, Bull. Am. Phys. Soc. 24, 1189 (1979).
- 6.10. R. K. Nesbet, "Multichannel Threshold Structures in Scattering

Theory," J. Phys. B13), xxx (1980).

- 6.11. R. K. Nesbet, "Resonance and Threshold Effects in Low Energy Electron Scattering by Molecules", Proceedings, Workshop in Molecular Physics and Quantum Chemistry (Wollongong, NSW, Australia, February, 1980).
- 6.12. R. K. Nesbet, "Surprisal Theory," in Theoretical Chemistry Advances and Perspectives, edited by H. Eyring and D. Henderson (Academic Press, New York, 1980).

7. Extenuating circumstances: None

8. Unspent funds: Not expected

9. Graduate students: None

10. Other Federal grant or contract support: None